EPOCH MASTER GLOBAL BUSINESS(JIANGSU)INC.



RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA

SPECIFICATION

PRODUCT NAME: Dicalcium Phosphate Anhydrous ORIGIN:CHINA

Product Description

General Characteristics:

Formula: CaHPO4

Appearance: White powder

Molecular weight: 136.06

Odor: Odorless

CAS Number: 7757-93-9

EINECS No.: 231-826-1

INS: 341(ii)

Solubility: Almost insoluble in water, insoluble in ethanol, soluble in acid.

Uses:

Polishing agent,emulsifier,dough modifier,water retention agent. Loose machine,stabilizer,nutritional supplements,creta preparata. Fortification of cereals and other processed food, poultry auxiliary feed.

Packing and Storage:

25kg/net paper bag and PE bags sealed inside.



Store in a well-closed bag at room temperature, protect from light, moisture and pest infestation. Shelf life---two years

Microbiological Specification:

| Total viable count | 1,000CFU/gr.max |
|--------------------|-----------------|
| Yeast&Molds | 50CFU/gr.max |
| E.Coli | Absent |
| Shigella | Absent |
| S. aureus | Absent |
| S.hemolyticus | Absent |
| Salmonella | Absent |

GMO-Status:

The product is a non GMO product and is free from any recombinant DNA.

Irradiation/Radioactivity:

Yunbo's Dicalcium phosphate anhydrous was never subjected to any kind of ionized irradiation and contains no radioactivity not even in minor amounts. **BSE/TSE:**

No raw materials from bovine origin are used nor are any bovine constituents present in the product.

| Product Code | | Product Code | Granularity | Particle | |
|-----------------------------|-----------|--------------------|------------------|-----------------------|--|
| | | | | size(mesh/µm) | |
| Dicalcium Phos Anhydrous | | DCPA20- 60(TAB) | Large particles | 20-60 mesh | |
| | | DCPA100(TAB) | Medium particles | On100 mesh >60% | |
| | Phosphate | DCPA100-300 | Coarse Powder | Pass 200 mesh ≥50% | |
| | | DCPA325 | Powder | 99% pass325 mesh | |
| | | DCPA5W | Super powder | 4µm | |
| | | | | | |

EPOCH MASTER GLOBAL BUSINESS(JIANGSU)INC.



RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA

Specifications(BP/USP/E341(ii)/FCC):

| Test Parameter | Ph.Eur | USP-NF | E341(ii) | FCC |
|-----------------------|-----------------------|-----------------------|-----------------------|--------------|
| Appearance | White or almost white | White or almost white | White or almost white | Occurs as a |
| | crystalline powder or | crystalline powder or | crystalline powder or | white powder |
| | colourless crystals | colourless crystals | colourless crystals | |
| Identification A | Passes test | Passes test | Passes test | Passes test |
| Identification B | Passes test | Passes test | Passes test | Passes test |
| Identification C | It complies with the | | | |
| | limits of the assay | | | |
| Assay 【Ca, | 97.5%~102.5% | 98.0%~103.0% | 98.0%-102.0% | 97.0%-105.0% |
| asCaHPO4 | | | | |
| P2O5 | | | 50.0-52.5% | |
| Loss on ignition | 6.6%-8.7% | 6.6%~8.5% | ≤8.5% | 7.0%-8.5% |
| Heavy metal(as Pb) | | ≤0.003% | | |
| Mercury | | | ≤1.0ppm | |
| Arsenic | ≤10.0ppm | ≤3.0ppm | ≤1.0ppm | ≤3.0ppm |
| Lead | | | ≤1.0ppm | ≤2.0ppm |
| Cadmium | | | ≤1.0ppm | |
| Aluminium | | | ≤100.0ppm | |
| Chloride | ≤0.25% | ≤0.25% | | |
| Sulfate | ≤0.5% | ≤0.5% | | |
| Acid-insoluble | ≤0.2% | ≤0.2% | | |
| substances | | | | |
| Carbonate | To pass the test | To pass the test | | |
| Barium | To pass the test | To pass the test | | |
| Limit of fluoride | ≤100.0ppm | ≤50.0ppm | ≤50.0ppm | ≤50.0ppm |

佰舸斯达国际贸易(江苏)有限公司 EPOCH MASTER GLOBAL BUSINESS(JIANGSU)INC. 437 LI BINGBO (1)