



Epoch Master Industry Pte. Ltd.
Rm.3-93,Tengfei building,No.88 jiangmiao rd., research and innovation park,
Nanjing zone,(jiangsu) pilot free trade zone,China

Material Safety Data Sheet

Sodium Metabisulfite MSDS

Section 1: Chemical Product and Company Identification

Product Name: Sodium metabisulfite
CAS#: 7681-57-4
TSCA: TSCA 8(b) inventory: Sodium metabisulfite
Chemical Name: Pyrosulfurous acid, disodium salt
Chemical Formula: Na₂S₂O₅
Synonym: **Disodium disulfite**; Disodium pyrosulfite; Sodium Pyrosulfite; Sodium Metabisulphite

Catalog Codes: SLS3025
RTECS: VZ2000000
CI#: Not available.

Company Information: WEIFANG MINGDA SALINIZATION CO. LTD.
International Sales: 86-536-5305630
Contact person: Ellie
Email address : 1930863150@qq.com

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Sodium metabisulfite	7681-57-4	100

Toxicological Data on Ingredients: Sodium metabisulfite: ORAL (LD50): Acute: 1131 mg/kg [Rat].
DERMAL (LD50): Acute:
>2000 mg/kg [Rat]. >1000 mg/kg [Guinea pig].

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator), of eye contact (irritant).

Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer), of ingestion, of inhalation (lung irritant).

CARCINOGENIC EFFECTS:

3 (Not classifiable for human.) by IARC. **MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast.

TERATOGENIC

EFFECTS: Not available. **DEVELOPMENTAL TOXICITY:** Not available. The substance may be toxic to

upper respiratory tract,
skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient.

Remove contaminated

clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes

before reuse. Get medical

attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream . Seek immediate medical

attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious

person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight

clothing such as a collar,

tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in

presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards:

When heated to decomposition it emits toxic fumes of SO_x, Na₂O. Decomposes on heating to form sodium sulfate

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities

Section 7: Handling and Storage

Precautions:

Keep locked up.. Do not ingest. Do not breathe dust. Avoid contact with skin. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Moisture sensitive. Air Sensitive

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 5 (mg/m³) [United Kingdom (UK)] TWA: 5 (mg/m³) from ACGIH (TLV) [United States] TWA: 5 (mg/m³) from NIOSH

[United States] Consult local authorities for acceptable exposure limits

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Crystals solid or Powdered solid.)

Odor: odor of sulfur dioxide

Taste: Not available.

Molecular Weight: 190.13 g/mole

Color: White to yellowish.

pH (1% soln/water): 4.3 [Acidic.]

Boiling Point: Not available.

Melting Point: Decomposition temperature: 150°C (302°F)

Critical Temperature: Not available.

Specific Gravity: 1.4 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility:

Easily soluble in cold water, hot water. Freely soluble in glycerol. Slightly soluble in alcohol. Moderately soluble in ethanol.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, heat, moisture, air, dust generation.

Incompatibility with various substances: Reactive with oxidizing agents, acids.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity:

Moisture sensitive Air sensitive . It slowly oxidizes to sodium sulfate upon exposure to air and moisture. Incompatible with sodium nitrite

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur

Section 11: Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 1 131 mg/kg [Rat]. Acute dermal toxicity (LD50): > 1000 mg/kg [Guinea pig].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC. **MUTAGENIC EFFECTS:**

Mutagenic for bacteria and/or yeast. May cause damage to the following organs: upper respiratory tract, skin, eyes .

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May affect genetic material (mutagenic) based on animal test data. May cause adverse reproductive effects based on animal test data.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: May cause eye irritation. Inhalation: May cause respiratory tract irritation with coughing and wheezing. Ingestion: May be harmful if swallowed. May cause gastrointestinal tract irritation with abdominal pain, nausea, vomiting, diarrhea, violent colic, and possible gastric hemorrhaging. May affect behavior/central nervous system and cause central nervous system depression/seizures. It may also affect the cardiovascular system (hypotension, tachycardia, cardiovascular collapse), Ingestion of sulfite compounds may cause

